

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports from Liverpool.

LIVERPOOL, ENGLAND, May 27, 1902.

SIR: I have the honor to state that for the week ended May 24, 1902. there were reported to the local health authorities the following cases: Smallpox, 1; enteric fever, 26; scarlet fever, 100; diphtheria, 15, and measles, 32. For the same week there were reported from Birkenhead the following cases: Scarlet fever, 2; diphtheria, 1; enteric fever, 5; erysipelas, 1, and measles, 18.

Respectfully,

CARROLL FOX, Assistant Surgeon, U.S. M. H. S.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

LIVERPOOL, ENGLAND, June 3, 1902.

SIR: I have the honor to state that for the week ended May 31, 1902, there were reported to the local health authorities the following cases: Smallpox, 4; typhus fever, 5; enteric fever, 17; scarlet fever, 108; diphtheria, 19, and measles, 109.

For the same week there were reported in the town of Birkenhead the following cases: Smallpox, 3; scarlet fever, 2; diphtheria, 1; enteric fever, 8; puerperal fever, 1; erysipelas, 1, and measles, 28.

Respectfully,

CARROLL FOX, Assistant Surgeon, U.S. M. H.S.

The SURGEON GENERAL.

U. S. Marine-Hospital Service.

GERMANY.

Sanitary inspection at Bremen of vessels from infected ports.

Bremen, Germany, May 15, 1902.

SIR: On April 25, 1902, the quarantine officials at Bremerhaven issued an official notice, of which the following is a translation:

Every sea going vessel entering the Weser is subject to the control of

the sanitary department-

- 1. When it has had cases of cholera or bubonic plague on board, either while it was still in the port of embarkation or during the
- 2. When it comes from infected port against which quarantine measures have already been ordered. If coming from a yellow-fever district, such vessels will be placed under quarantine only during the time from May 15 to September 15. To this second class also belong the following ports at the present time:
- a. Suspicious of cholera are British Birma, Java, and Sumatra; Bombay, Calcutta, Madras, Swatow, and Fuchau; the Philippines.b. Suspicious of yellow fever are Havana and Caraças.

c. Suspicious of plague are Australian continent, Cape Colony, and Natal; Black Sea, with exception of the Russian ports; Bosphorus and Sea of Marmora; Aegean Sea, including ports of Asia Minor; the Asia Minor ports on the Mediterranean; the Mascarene Islands: Persia. Baluchistan and Indian China south of latitude 30, the island Formosa; Red Sea, Egypt and Suez Canal; Hongkong and Macao; China, including Singapore, the peninsula Malacca, Penang; Brazil and all the South American ports as far south as latitude 40; New Caledonia.